

# Utility



### 106 Soft Rope

P/N: 1-8844-6441-0  
Towing capacity: 4Ton



### 107 Lashing Belt (Ratchet Type)

●Specifications: Narrow hook and aperture  
P/N: 1-8677-3644-0  
6m length (Fixed side 1m / Adjustable side 5m)  
●Specifications: One-piece  
P/N: 1-8677-3627-0  
3m length (Fixed side 1m / Adjustable side 2m)  
Other variations are available



### 108 Windscreen Wiper Blade

(Standard Cab) Left/Right P/N: 1-8677-3648-0  
(Wide Cab) Right P/N: 1-8677-3647-0  
Left/Center P/N: 1-8844-6817-1  
Sold separately (1unit)  
Installation Time: 0.2~0.5H

### 109 Snow Wiper Blade

(Standard Cab) Left/Right P/N: 1-8844-7158-0  
(Wide Cab) Right P/N: 1-8844-7156-0  
Left/Center P/N: 1-8844-7155-0  
Sold separately (1unit)  
Installation Time: 0.2H



### 110 Tool Set type-A

P/N: 1-8677-3390-3  
Contents: Steel case, set of six open-end wrenches, pliers 150, crescent wrench 200, Phillips screwdriver 150, flat head screwdriver 150, Torx wrench T25, Torx wrench T30, Torx wrench T40, Torx wrench T50, box wrench 19x22, sliding T-handle, universal socket, inspection hammer



### 111 Tool Set type-B

P/N: 1-8677-3391-1  
Contents: Blanket case, open-end wrench 8x10, open-end wrench 12x14, open-end wrench 17x19, open-end wrench 22x24, pliers 150, crescent wrench 200, Phillips screwdriver 150, flat head screwdriver 150, Torx wrench T25, Torx wrench T40, inspection hammer



### 112 Tool Set type-C

P/N: 1-8677-3392-0  
Contents: Plastic case, open-end wrench 8x10, open-end wrench 12x14, pliers 150, crescent wrench 200

# F-SERIES

## Accessories Catalogue



ISUZU A&S Co., Ltd. reserves the right to change specifications and equipment without notice. Details of specifications and equipment mentioned or shown in this catalogue are also subject to change to meet local conditions and government requirements. Please inquire at your local ISUZU dealer for more complete details of any such changes that may be required.

Note: Actual vehicle body colour may vary slightly from the colours in the photographs printed in this catalogue. Some of the accessories and equipment shown in this catalogue have been used for photo shooting purposes only and are not equipped on the actual vehicles.

Please ensure that your motor insurance policy provides adequate coverage for additionally fitted accessories.

All rights reserved. No part of this catalogue may be reproduced in any form or by any means without the prior written permission of ISUZU A&S Co., Ltd.

Some accessories and equipment shown in this catalogue may not meet your local conditions and government requirements.

P/N(Part Number) shown in this catalogue is subject to change due to specification changes.

All accessories are designed to install Japanese vehicle specifications. Therefore, some accessories may not be able to install due to local specification differences.



### ISUZU A&S Co., Ltd.

<https://www.ias-isuzu.co.jp/en/>  
1-2-5 Takashima, Nishi-ku, Yokohama,  
Kanagawa 220-0011 JAPAN  
Contact : [ias\\_japan@ias.isuzu.com](mailto:ias_japan@ias.isuzu.com)

F22ACC-2  
August 22 Printed in Japan



# Aero & Economy

Outstanding fuel efficiency through finely crafted aerodynamic design



### 1 Air Deflector Variable-type

●For Full Cabs  
[Standard Cab] P/N:1-8672-1089-2 Installation Time:2.0H Weight:57kg  
[Wide Cab] P/N:1-8672-1090-2 Installation Time:2.0H Weight:66kg



### 2 Air Deflector Fixed-type

●For Full Cabs  
[Standard Cab] P/N:1-8672-1079-1 Installation Time:1.0H Weight:36.4kg  
[Wide Cab] P/N:1-8672-1082-1 Installation Time:1.0H Weight:37.7kg  
●For Short Cabs  
[Standard Cab] P/N:1-8672-1085-1 Installation Time:1.0H Weight:29.7kg  
[Wide Cab] P/N:1-8672-1087-1 Installation Time:1.0H Weight:31.9kg



### 3 Air Deflector Fixed-type for Refrigerator Vehicle

●For Full Cabs  
[Standard Cab] P/N:1-8672-1135-1 Installation Time:1.0H Weight:23.9kg  
[Wide Cab] P/N:1-8672-1136-1 Installation Time:1.0H Weight:25.9kg  
●For Short Cabs  
[Standard Cab] P/N:1-8672-1137-1 Installation Time:1.0H Weight:14.8kg  
[Wide Cab] P/N:1-8672-1138-1 Installation Time:1.0H Weight:19.3kg  
\*Made to order (Delivery takes one month from order).



### 4 Air Deflector Fixed-type with LED Lamp Signboard

●For Full Cabs  
[Standard Cab] P/N:1-8672-1080-2 Installation Time:1.3H Weight:40kg  
[Wide Cab] P/N:1-8672-1083-2 Installation Time:1.3H Weight:43kg  
\*Costs for adding text to the signboard are not included.




### 5 Air Deflector Board-type

[Standard Cab]  
P/N:1-8672-1122-0 Installation Time:2.5H Weight [Full Cab:36.8kg / Short Cab:36kg]  
[Wide Cab]  
P/N:1-8672-1101-0 Installation Time:2.5H Weight [Full Cab:40.4kg / Short Cab:39.8kg]  
\*There will be a gap between the rear end of the board and the container/trailer with Full Cabs.

#### Installation Kit

●For Full Cabs  
[Standard Cab] P/N:1-8672-1102-4 [Wide Cab] P/N:1-8672-1104-4  
●For Short Cabs  
[Standard Cab] P/N:1-8672-1103-4 [Wide Cab] 1-8672-1105-4



### 6 Mirror Cover White

Sold separately (1unit) Installation Time:0.5H  
\*Left/Right/Heated/Remote Control Variations are available

### 7 Under Mirror Cover White

●Under Mirror (Round)  
P/N:1-8672-1097-2  
1unit Installation Time:0.5H  
●Under Mirror for 3-mirror use (Square)  
P/N:1-8672-1141-1  
1unit Installation Time:0.5H

### 8 Headlight Cover Set White

●For Cab Head Lights vehicles only  
P/N:5-8671-1145-1  
Installation Time:0.2H

### 9 Side Steps Skirt Set White

P/N:1-8672-1113-1 Installation Time:0.5H

### 10 Front Spoiler White

P/N:1-8672-1133-0 Installation Time:0.5H Weight:2.1kg

●For larger license plates  
P/N:1-8672-1134-0 Installation Time:0.5H Weight:2.1kg

\*For vehicles equipped with standard-width/specially equipped bumpers only.  
\*Cannot be installed on Air Dam Bumper.



### 11 i-Cool Plus (Idling Stop Cooler)

Installation Time:7.0H~ Weight:60.7kg~

\*Additional connector harness is required.  
\*Electrical relay for modifications required.  
\*Cannot be installed on short cabs.  
\*Vehicle specifications may prevent installation.



### i-Charge

P/N:1-8677-3858-3 Installation Time:\*

\*Using i-Charge in the winter allows extended use of the Portable Electric Blanket.  
\*Installation time is 1.0 hour when being installed along with the i-Cool, or 2.5 hours when being installed alone.



### 12 Parking Heater

●Webasto Combination Timer P/N:1-8672-4033-0 Installation Time:\*\br/>●Eberspaecher Smart Timer P/N:1-8677-4215-0 Installation Time:\*\br/>●Eberspaecher Smart Select P/N:1-8677-4216-0 Installation Time:\*

\*Installation must be approved by authorized installer.  
\*Additional connector harness (1-8672-4022-0) is required for Webasto heater.  
\*Installation time varies based on installation location and vehicle modification specifications.



### 13 Heat-storing Napping Mat-A (with outlet)

P/N:1-8677-3552-0  
Size: W510×L1950×H50mm  
\*Cannot be installed on short cabs.

### 14 Heat-storing Napping Mat-B

P/N:1-8677-3385-0  
Size: W520×L1900×H45mm  
\*Additional outlet (1-8677-3562-0) (Sold separately) required.  
\*Cannot be installed on short cabs.

### 15 Portable Electric Blanket

P/N:1-8677-3907-0  
Size: W1200×L2000×T15mm  
\*Blanket is washable.





Interior Camera (IDR-2100 Only)

### 16 Drive Recorder Unit

- Harness Type (IDR-1100) P/N: 1-8677-4088-1
  - Cigar Type (IDR-1100C) P/N: 1-8677-4093-1
  - 2camera Type (IDR-2100) P/N: 1-8677-4094-1
- Viewer Software (P/N: 1-8677-4090-3)  
SD Card for Recording 32GB (P/N: 1-8677-4091-0)  
Additional Connector required for 1100/2100 (P/N: 1-8672-4022-0)



### 17 Upper Wide Mirror

1unit P/N: 5-8671-1041-2  
Installation Time: 0.4H



### 18 Voice Alarm

P/N: 1-8844-7667-1  
Installation Time: 1.5H  
\*Additional speakers (P/N: 1-8844-7676-1) can be installed.



### 19 Battery Lock Plate

P/N: 5-8671-1189-0  
Installation Time: 0.2H  
Compatible battery sizes: 65D23L, 80D26L  
\*Lock not included with product.



### 20 Steering Wheel Lock

P/N: 1-8844-7968-1




### 21 LED Headlight Bulbs

For 24V P/N: 1-8677-4260-1  
Installation Time: \*  
\*Installation time varies based on installation location and vehicle modification specifications.  
\*6,500K type  
\*Sold in pair



### 29 Waterproof LED Marker Lamp (Yellow)

24V P/N: 1-8677-4161-0  
Installation Time: \*  
\*Installation time varies based on installation location and vehicle modification specifications.



### 30 LED Marker and Under Light (Yellow/Blue)

● Yellow P/N: 1-8677-4254-0  
● Blue P/N: 1-8677-4255-0  
24V Installation Time: \*  
\*Installation time varies based on installation location and vehicle modification specifications.

## LED Combination Tail lamp

Double light Installation Time: \* Triple light Installation Time: \*

\*Taillights and brake lights are LED, turn signals are incandescent.  
\*Cannot be installed on FRR dump trucks.  
\*Installation time varies based on installation location and vehicle modification specifications.  
\*Modification may be required for installation.

### 31 Suspended Type

● Round Double  
P/N: 1-8672-4029-2



● Clear Round Double  
P/N: 1-8672-4030-2



● Round Triple  
P/N: 1-8671-4045-2



● Clear Round Triple  
P/N: 1-8671-4046-2



### 32 Suspended/Embedded Type

● Square Double  
P/N: 1-8672-4020-1



● Clear Square Double  
P/N: 1-8672-4021-2



● Square Triple  
P/N: 1-8671-4033-1



● Clear Square Triple  
P/N: 1-8671-4034-2




### 33 Embedded Type

● Round P/N: 5-8678-0821-2



### 34 Snow-melting Heater (For Rear Combination Tail Lamp)

● For Double Light  
P/N: 1-8677-3771-1 Installation Time: 3.5H  
● For Turn Signal Light  
P/N: 1-8677-3772-0 Installation Time: 3.5H  
\*Cannot be installed on LED combination tail lamps.



### 22 Hyper Halogen Bulb

For 24V P/N: 1-8841-0727-0  
Installation Time: 0.4H



### 23 HID White Bulb

P/N: 1-8677-4190-0  
Installation Time: 1.0H  
\*5000K type.



### 24 LED Daytime Lamp (White/Blue)

● White P/N: 1-8677-3621-0 ● Blue P/N: 1-8677-3622-0  
Installation Time: 1.5H  
Headlight Link Harness (Sold separately)  
P/N: 1-8677-3679-0 Installation Time: 1.0H



### 25 Warning Triangle

P/N: 1-8840-8992-4



### 26 LED Emergency Signal Light (with flashlight)

P/N: 1-8677-4178-1



### 27 LED Emergency Signal Light

P/N: 1-8677-3397-3



### 28 Emergency Tool

P/N: 1-8677-4117-0





**38 Ladder with Flip-down Steps**  
 [Right] P/N:1-8672-1126-2  
 [Left] P/N:1-8672-1127-2 Sold separately  
 Installation Time:1.0H Weight:7.8kg  
 \*Need to apply for approval of a vehicle modification upon registration.  
 \*Will extend 45 mm past width of the cab (at fenders). \*Maximum Load 90kg



**39 Ladder Stainless / Chromed**  
 ●Stainless type  
 [Right] P/N:1-8672-1106-2  
 [Left] P/N:1-8672-1107-2 Sold separately  
 Installation Time:1.0H Weight:8.3kg  
 ●Chromed type  
 [Right] P/N:1-8672-2076-2  
 [Left] P/N:1-8672-2077-2 Sold separately  
 Installation Time:1.0H Weight:8.6kg  
 \*Need to apply for approval of a vehicle modification upon registration.  
 \*Will extend 30 mm past width of the cab (at fenders). \*Maximum Load 80kg



**40 Door Visors Acrylic (Pillar Mirror Type)**  
 P/N:5-8671-1124-3  
 Installation Time:0.2H Weight:1.0kg



**41 Door Visors Acrylic (Door Mirror Type)**  
 P/N:5-8676-0293-0  
 Installation Time:0.5H Weight:1.0kg



**42 Door Visors Stainless (Pillar Mirror Type)**  
 P/N:5-8671-1142-2  
 Installation Time:0.5H Weight:1.0kg  
 ●For Double Cab (Rear)  
 P/N:5-8671-1143-2  
 Installation Time:0.5H Weight:1.0kg



**43 Mosquito Guard**  
 P/N:1-8672-3127-1  
 \*Cannot be used while driving.



**44 Air Suspension Control Switch Storage Box**  
 P/N:1-8671-1054-1 Installation Time:\* Weight:1.5kg  
 \*For vehicles with air suspensions.  
 \*Remote control harness required.  
 \*Installation time varies based on installation location and vehicle modification specifications.




**45 Mud Flap ISUZU**  
 P/N:1-8672-1111-0 1unit  
 Installation Time:0.4H  
 Size:W500mm×H750mm



**46 Mud Flap Wave Design**  
 P/N:1-8672-1112-0 1unit  
 Installation Time:0.4H  
 Size:W500mm×H750mm



**47 Mud Flap Stay**  
 ●Stainless type  
 P/N:1-8672-1064-0 1unit  
 Installation Time:0.6H Weight:1.4kg  
 ●Chromed type  
 P/N:1-8672-1065-2 1unit  
 Installation Time:0.6H Weight:1.4kg



**48 Fuel Tank Cap with Key**  
 A: For 88mm use P/N:1-8672-1132-1  
 \*For main tanks made by Tokyo Radiator (100ℓ).  
 \*For main tanks made by Sueyoshi Kogyo (200ℓ).  
 B: For 112mm use P/N:1-8677-4198-0  
 \*For sub tanks made by Tokyo Radiator.



**49 Urea Tank Cap with Keys**  
 P/N:1-8677-3850-1  
 \*For vehicles with urea tanks (vehicles with 6H-\* engines).  
 \*Def Cap for U.S. market.  
 (5-8676-1079-0/5-8676-1217-0)



**50 Tool Box Stainless**  
 ●For 500mm size  
 P/N:1-8844-7213-5 Installation Time:\* Weight:6.4kg  
 ●For 750mm size-A  
 P/N:1-8844-7214-5 Installation Time:\* Weight:8.5kg  
 ●For 750mm size-B  
 P/N:1-8844-7215-5 Installation Time:\* Weight:14.6kg  
 ●For 900mm size  
 P/N:1-8844-7216-5 Installation Time:\* Weight:15.1kg  
 \*Installation time varies based on installation location and vehicle modification specifications.  
 \*Tool box installation brackets required.  
 ●Tool Box Installation Brackets  
 For 500mm/700mm size-A Tool Box P/N:1-8844-7321-0  
 For 750mm size-B/900mm Tool Box P/N:1-8844-7320-0



**51 Switch & Harness Set for Bodyworks**  
 ●Push-type  
 P/N:1-8843-4575-0 Installation Time:\*  
 ●Seesaw-type  
 P/N:1-8843-4576-0 Installation Time:\*  
 \*ISUZU Relay and harness required.  
 \*Installation time varies based on installation location and vehicle modification specifications.



**52 Working Light Set**  
 P/N:5-8671-4048-2  
 Installation Time:0.7H



**53 Removable Working Light**  
 P/N:1-8844-0317-1  
 Installation Time:0.7H  
 \*Removable Working Light harness kit (1-8844-0318-3) is required.

**35 Roof Carrier**

●For Full Cabs  
 P/N:1-8672-1099-3 Installation Time:1.0H Weight:27.5kg  
 \*Installation requires applying for approval for vehicle modification.  
 \*Maximum Load 40kg  
 ●For Short Cabs  
 P/N:1-8672-1100-3 Installation Time:1.0H Weight:24.5kg  
 \*Installation requires applying for approval for vehicle modification.  
 \*Maximum Load 30kg

**36 Roof Rack**

●For Full Cabs  
 [Standard Cab] P/N:1-8672-1091-1 Installation Time:1.5H Weight:36kg  
 [Wide Cab] P/N:1-8672-1092-1 Installation Time:1.6H Weight:37kg  
 \*Installation requires applying for approval for vehicle modification.  
 \*Maximum Load 30kg  
 ●Installation Kit  
 [Standard Cab] P/N:1-8672-1123-2 [Wide Cab] P/N:1-8672-1124-3

**37 Multi Stay Base Kit**

[Standard Cab] P/N:1-8672-1139-1 Installation Time:0.8H Weight:7.4kg  
 [Wide Cab] P/N:1-8672-1140-1 Installation Time:0.8H Weight:7.6kg  
 \*Installation requires applying for approval for vehicle modification.



# Exterior

Spectacular exterior styling for a commanding presence



## 54 Illumination Front Line Plate

[Standard Cab] P/N:1-8672-4036-0 Installation Time:1.6H  
 [Wide Cab] P/N:1-8672-4037-0 Installation Time:1.6H  
 \*Please install before affixing the ISUZU emblem.  
 \*Additional connector harness (1-8672-4022-0) is required.  
 \*Lighting Condition:Lights full when starter switch is [ON], lights dim when light switch is [ON].



## 55 Chromed-like Front Line Plate

[Standard Cab] P/N:1-8672-2078-0 Installation Time:0.1H  
 [Wide Cab] P/N:1-8672-2079-0 Installation Time:0.1H  
 \*Please install before affixing the ISUZU emblem.  
 \*To install this front line plate under the original ISUZU emblem, the position of the ISUZU emblem will be improper. A new ISUZU emblem needs to be purchased additionally for replacement.



## 56 Chromed Grille (Old Grille)

[Standard Cab] P/N:1-8672-1077-1 Installation Time:0.3H Weight:1.8kg  
 [Wide Cab] P/N:1-8672-1078-1 Installation Time:0.3H Weight:2.0g



## 57 Chromed Grille (New Grille)

[Standard Cab] P/N:1-8672-2115-0 Installation Time:0.3H Weight:2.7kg  
 [Wide Cab] P/N:1-8672-2117-0 Installation Time:0.3H Weight:3.1kg




## 58 Chromed Air Dam Bumper

[Standard Cab] P/N:1-8672-2093-5 Installation Time:0.8H Weight:15.5kg  
 [Wide Cab] P/N:1-8672-2095-5 Installation Time:0.8H Weight:16.5kg  
 \*Cannot change from vehicle without air dam bumper.  
 \*Cannot be installed on dump trucks and concrete mixer trucks.



## 59 Chromed Bumper

P/N:1-8672-2091-3 Installation Time:0.8H Weight:10.5kg  
 \*Available only for bumpers without air dams.



## 60 Illumination Emblem

P/N:1-8671-4055-0  
 ●[Standard Cab] Harness Kit P/N:1-8672-4034-0 Installation Time:2.8H  
 ●[Wide Cab] Harness Kit P/N:1-8672-4035-0 Installation Time:2.8H  
 \*Additional connector harness (1-8672-4022-0) is required.  
 \*To install the Illumination Front Line Plate together, dedicated harness kit (1-8671-4057-0) is required.  
 \*Lighting Condition:Lights full when starter switch is [ON], lights dim when light switch is [ON].



## 61 Bull Bar (Type-A)

[Standard Cab] P/N:5-8676-1954-0 Installation Time:1.5H Weight:64.0kg  
 With Tow Pin P/N:5-8676-1955-0 Installation Time:1.5H Weight:70.5kg  
 [Standard Cab-UP] P/N:5-8676-1956-0 Installation Time:1.5H Weight:65.4kg  
 With Tow Pin P/N:5-8676-1957-0 Installation Time:1.5H Weight:70.5kg  
 \*Tested and certified by ISUZU Motors Limited as compatible with the airbag system



## 62 Bull Bar (Type-B)

[Standard 4WD] With Tow Pin P/N:5-8676-2166-0 Installation Time:1.5H Weight:135.9kg  
 [Wide 4WD] With Tow Pin P/N:5-8676-2167-0 Installation Time:1.5H Weight:150.8kg  
 [Wide] Standard P/N:5-8676-2168-0 Installation Time:2.0H Weight:157.0kg  
 With Tow Pin P/N:5-8676-2169-0 Installation Time:2.0H Weight:168.9kg  
 [Wide Cab-UP] Standard P/N:5-8676-2170-0 Installation Time:2.0H Weight:164.4kg  
 With Tow Pin P/N:5-8676-2171-0 Installation Time:2.0H Weight:176.3kg  
 \*Tested and certified by ISUZU Motors Limited as compatible with the airbag system




## 63 Chromed Side Panel Pillar Mirror Type

[Right] P/N:1-8672-2085-0 Installation Time:0.8H Weight:1.0kg  
 [Left] P/N:1-8672-2087-0 Installation Time:0.9H Weight:1.1kg

●For bumper headlights  
 [Right] P/N:1-8672-2088-0 Installation Time:0.5H Weight:1.4kg  
 [Left] P/N:1-8672-2090-0 Installation Time:0.6H Weight:1.5kg  
 \*Can be installed on high-bed 4WD vehicles (with bumper headlights).

## 64 Chromed Lamp Cover Set

●For Cab Headlight Vehicles Only  
 P/N:5-8671-2165-1 Installation Time:0.2H



## 65 Chromed Door Handle Cover Set

P/N:5-8671-2186-2 Installation Time:0.5H



## 66 Chromed Bezel Set for OK Window

P/N:1-8672-2119-2 Installation Time:0.5H

## 67 Chromed Blister Fender Set

P/N:1-8672-2081-1 Installation Time:0.4H  
 ●For Setback Vehicles (For FV models)  
 P/N:1-8672-2082-1 Installation Time:0.4H

## 68 Chromed Rear Fender Panel Set

●For Full Cabs  
 P/N:1-8672-2084-1 Installation Time:0.3H  
 ●For Short Cabs  
 P/N:1-8672-2083-2 Installation Time:0.3H



## 69 Chromed Mirror Cover

[Right] Installation Time:0.5H  
 [Left] Installation Time:0.5H  
 \*Left/Right/Heated/Remote Control Variations are available

## 70 Chromed Under Mirror Cover

[Round] P/N:1-8843-1666-2 Installation Time:0.5H  
 [Square (for 3-mirror use)] P/N:1-8671-2182-2 Installation Time:0.5H

## 71 Chromed Mirror Stay

[Right] Installation Time:0.5H  
 [Left] Installation Time:0.6~0.8H  
 \*Left/Right/Heated/Remote Control Variations are available



## 72 Side Turn Base Set

●For FV models/High-bed 4WD (Bumper Headlight Vehicles)  
 P/N:1-8672-1129-0 Installation Time:0.2H



## 73 Chromed Side Steps Skirt Set

P/N:1-8672-2080-1 Installation Time:0.6H



## 74 Chromed Turn Signal Lamp Cover Set

P/N:1-8672-2106-1 Installation Time:0.3H  
 \*Cannot be installed on FV models/High-bed 4WD.



## 75 Chromed Wheel Nut Cover

●Front Six-Hole Pack (One Wheel)  
 P/N:1-8671-1145-0 Installation Time:0.2H  
 ●Rear Six-Hole Pack (One Wheel)  
 P/N:1-8671-1146-0 Installation Time:0.2H  
 \*Cannot be installed on some models.



## 76 Chromed Center Cap

Sold separately (1unit)  
 ●For 17.5 Inch Front  
 P/N:1-8672-2045-0 Installation Time:0.2H  
 ●For 17.5 Inch Rear  
 P/N:1-8672-2046-0 Installation Time:0.3H  
 \*Cannot be installed on some models.



## 77 Chromed Wheel Cap

●17.5/19.5/22.5 Inch models available  
 Installation Time:1.0H  
 \*17.5 Inch model is for FRR, FSR, GSR.



## 78 Step-under Illumination

●Right and Left Set  
 P/N:5-8671-4076-0 Installation Time:1.5H  
 \*Additional connector harness (1-8672-4022-0) is required.  
 \*The illuminated area depends on the items installed on the vehicle.



# Interior

Functional and easy-to-use cab accessories for enhanced peace and comfort

## Piano Black

### 79 Interior Panel Set Piano Black

P/N: 1-8672-3145-1  
Installation Time: 1.0H

This six-piece set includes the meter cluster, center panel, passenger-side vent grille, left and right SW panels, and the driver-side door compartment.

### 80 Shift Cover Set Piano Black

● For Smoother  
P/N: 5-8671-3120-1  
Installation Time: 0.5H

### 81 Wooden Shift Knob Piano Black

P/N: 1-8671-3079-1  
Installation Time: 0.3H  
\*Cannot be installed on vehicles equipped with Smoother Fx.

## Wood Parts

### 82 Interior Panel Set Wood-like

P/N: 1-8672-3099-1  
Installation Time: 1.0H

This six-piece set includes the meter cluster, center panel, passenger-side vent grille, left and right SW panels, and the driver-side door compartment.

84

85

### 83 Shift Cover Set Wood-like

● For Smoother  
P/N: 5-8671-3113-1  
Installation Time: 0.5H

### 84 Wooden Shift Knob

P/N: 1-8671-3078-1  
Installation Time: 0.3H  
\*Cannot be installed on vehicles equipped with Smoother Fx.

### 85 Parking Brake Cover Wood-like

P/N: 1-8672-3071-2  
Installation Time: 0.4H  
\*Cannot be installed on vehicles that have wheel parking function.



### 86 Room Lamp LED (Replacement LED Bulb)

P/N: 5-8671-4082-0  
Installation Time: 0.2H

### 87 LED Lamp for Fluorescent Room Lamp (Replacement LED Lamp)

P/N: 1-8677-4152-0  
Installation Time: 0.2H



### 88 1DIN Pocket with Key

P/N: 5-8671-4053-0  
Installation Time: 0.5H




### 89 1DIN Pocket

P/N: 5-8671-4059-0  
Installation Time: 0.5H



### 90 Center Multi-Rack

● For Two-Seat Vehicles only  
P/N: 1-8672-3132-0  
Installation Time: 0.7H  
Weight: 6.1kg



### 91 Side Pocket Set

P/N: 1-8672-3144-1  
Installation Time: 0.5H



### 92 Pillar Pocket

P/N: 5-8671-3123-1  
Installation Time: 0.1H



### 93 Rear Window Box

P/N: 1-8672-3133-2  
Installation Time: 0.5H  
Weight: 2.7kg



### 94 Bedding Kit

P/N: 1-8843-4437-1  
Comforter Size: W1050mm x L2000mm  
Mattress Size: W580mm x L2050mm

### 95 Pressure-Dispersion Mat

[Standard] P/N: 1-8672-3146-1 [Wide] P/N: 1-8672-3147-1  
\*Picture shows bedding kit with mattress cover.  
The mattresses use the Cubit™ three-dimensional mesh material from Asahi Kasei Advance Corporation.

### 96 Napping Mat (RHD)

● For Two-Seat Vehicles only  
P/N: 1-8672-3126-0  
Weight: 2.8kg



### 97 Curtain Shield-type (Material blocks 99.86% of light)

● For Full Cabs (Standard Cab)  
Round Area\* P/N: 1-8672-3148-2  
Partition Area P/N: 1-8672-3152-2  
[Wide Cab]  
Round Area\* P/N: 1-8672-3149-2  
Partition Area P/N: 1-8672-3153-2  
● Short Cabs (Standard Cab)  
Round Area\* P/N: 1-8672-3150-2  
[Wide Cab]  
Round Area\* P/N: 1-8672-3151-2  
● Back Area\* P/N: 1-8672-3154-2  
\*Round Curtain Rail Kit is required for round area (installation time 0.3 hours) and Back Curtain Rail Kit is required for back area (installation time 0.7 hours) for both Curtain types.



### 98 Curtain Complete Shield-type (Material blocks 100% of light)

● For Full Cabs (Standard Cab)  
Round Area\* P/N: 1-8672-3155-2  
Partition Area P/N: 1-8672-3120-3  
[Wide Cab]  
Round Area\* P/N: 1-8672-3156-2  
Partition Area P/N: 1-8672-3121-3  
● Short Cabs (Standard Cab)  
Round Area\* P/N: 1-8672-3157-2  
[Wide Cab]  
Round Area\* P/N: 1-8672-3158-2  
● Back Area\* P/N: 1-8672-3122-3



### 99 Foot Space Illumination

P/N: 5-8671-4075-0  
Installation Time: 1.0H  
\*Additional connector harness (1-8672-4022-0) is required.



### 100 Leather-like Seat Cover (RHD)

Installation Time: 0.6~0.7H  
Color: Black  
\*Variations are available.



### 101 Seat Cover Clear Vinyl (RHD)

Installation Time: 0.6~0.7H  
Color: Clear  
\*Variations are available.



### 102 Seat Cover Vinyl Leather (RHD)

Installation Time: 0.6~0.7H  
Color: Gray/Black  
\*Variations are available.



### 103 Seat Cover (RHD)

Installation Time: 0.6~0.7H  
Color: Navy/Light Gray  
\*Variations are available.



### 104 Carpet Floor Mat (RHD)

[Standard Cab] P/N: 1-8672-3103-1  
[Wide Cab] P/N: 1-8672-3104-2  
Material: Nylon



### 105 Rubber Floor Mat (RHD)

[Standard Cab] P/N: 1-8672-3101-0  
[Wide Cab] P/N: 1-8672-3102-2  
Material: Natural rubber